McHUGH'S LANDSCAPING

PO BOX 908 DELRAN, NJ 08075 (856) 461-5154 FAX- (856) 461-6135

DATE: 3-17-21

PESTICIDE NOTIFICATION

CUSTOMER: DELRAN DOE

ADDRESS: 52 HARTFORD ROAD, DELRAN, NJ 08075

TREATED AREAS: ATHLETIC FIELDS AT DHS & DMS

DATE & TIME OF APPLICATION: SUNDAY, 3 28 21, 8:00 AM TO 2:00 PM

RE-ENTRY DATE & TIME: MONDAY, 3 29 21, 8:00 AM

MATERIALS USED: 'DIMENSION .10 WITH FERTILIZER

EPA REGISTRATION = 10404-85

JAMES J. MCHUGH, (609) 352-5755 MCHUGH'S LANDSCAPING

PLEASE RETAIN FOR YOUR RECORDS.



Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and

Regulations Revision Date: 11/15/2019 Date of issue: 11/25/2013

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: LESCO[®] Dimension[™] (0.07%, 0.10%, 0.125%, 0.15%, 0.21%) Plus Fertilizer

Product Code: EPA Registration No.: 10404-84 (0.07%); 10404-85 (0.10%); 62719-483-10404 (0.125%), 10404-86 (0.15%);

10404-87 (0.21%); 62719-504-10404 (0.15%); 62719-488-10404 (0.19%); 62719-494-10404 (0.22%)

Synonyms: Dimension; Fertilizer with Herbicide

Other means of identification: LESCO^a Professional Control Product Dimension^a (0.07%, 0.10%, 0.125%, 0.15%, 0.21%) plus fertilizer; LESCO^a Dimension^a (0.125%, 0.15%, 0.19%, 0.22%) Plus Turf and Ornamental Fertilizer;

LESCO[®] Scenic Green Crabgrass Pre-Emergent + Lawn Fertilizer; LESCO[®] Dimension™ (0.21%) Plus Fertilizer; LESCO[®] Dimension™ Crabgrass Pre-Emergent Plus Fertilizer; Treeland Dimension™ 0.10% Plus Fertilizer; Best Greening Systems Crabgrass Pre-Emergent Plus Fertilizer

1.2. Intended Use of the Product

Use of the substance/mixture: Pesticide& Fertilizer

Name, Address, and Telephone of the Responsible Party

Company

LESCO, Inc.

1385 East 36th St

Cleveland, OH 44114

T 800-347-4272

1.4. Emergency Telephone Number

Emergency Number

1-800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC - Day or Night

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Acute Tox. 4 (Oral) H302
Skin Irrit. 2 H315
Eye Irrit. 2A H319
Skin Sens. 1 H317
STOT SE 3 H335
Aquatic Acute 2 H401
Aquatic Chronic 3 H412
2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Warning

Hazard Statements (GHS-US)

: H302 - Harmful if swallowed

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation
H335 - May cause respiratory irritation

H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements (GHS-US)

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash exposed areas thoroughly after handling P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER/doctor/physician if you feel unwell

P321 - Specific treatment (see ...)

P330 - If swallowed, rinse mouth

P332+P313 - If skin irritation occurs: Get medical advice/attention

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P362+P364 - Take off contaminated clothing and wash it before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container according to local, state, national and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification: No additional information available

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Urea	(CAS No) 57-13-6	0.1 - 98	Not classified
Sulfuric acid, dipotassium salt	(CAS No) 7778-80-5	0.1 - 95	Not classified
Limestone	(CAS No) 1317-65-3	0.1 - 95	Not classified
Monoammonium phosphate	(CAS No) 7722-76-1	0.1 - 60	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Urea, polymer with formaldehyde	(CAS No) 9011-05-6	0.1 - 60	Not classified
Diammonium phosphate	(CAS No) 7783-28-0	0.1 - 50	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 Aquatic Acute 3, H402
Bentonite	(CAS No) 1302-78-9	0.1 - 50	Not classified
Potassium chloride	(CAS No) 7447-40-7	0.1 - 20	Eye Irrit. 2B, H320
Ammonium sulfate	(CAS No) 7783-20-2	0.1 - 20	Aquatic Acute 2, H401
Ferrous sulfate	(CAS No) 7720-78-7	0.1 - 20	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400
Manganese oxide (Mn3O4)	(CAS No) 1317-35-7	0.1 - 20	Not classified
Magnesium oxide(MgO)	(CAS No) 1309-48-4	0.1 - 20	Not classified
Potassium nitrate	(CAS No) 7757-79-1	0.1 - 20	Ox. Sol. 2, H272

11-15/2019 FN (English US) 27/34

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
Iron oxide (Fe2O3)	(CAS No) 1309-37-1	0.1 - 10	Not classified
Magnesium sulfate	(CAS No) 7487-88-9	0.1 - 10	Skin Sens. 1, H317
Sulfate of Potash-Magnesia	(CAS No) 14977-37-8	0.1 - 10	Not classified
Saccharated iron oxide	(CAS No) 8047-67-4	0.1 - 10	Not classified
Carbonic acid, magnesium salt (1:1), mixture with magnesium hydroxide(Mg(OH)2), hydrate	(CAS No) 39409-82-0	0.1 - 10	Not classified
Sulfur	(CAS No) 7704-34-9	0.1 - 5	Comb. Dust Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 3, H402
Sodium chloride	(CAS No) 7647-14-5	0.1 - 5	Not classified
Manganese	(CAS No) 7439-96-5	0.1 - 5	Not classified
(S,S)-Dimethyl 2-(difluoromethyl)-4-(2-methyl propyl)-6-(trifluoromethyl)-3,5- Pyridine dicarbothioate	(CAS No) 97886-45-8	0.07 - 0.22	Not classified

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

First-aid Measures After Inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

First-aid Measures After Ingestion: Rinse mouth. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Call a POISON CENTER/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Harmful if swallowed. Eye irritation. Causes skin irritation. May cause an allergic reaction in sensitive individuals. May cause respiratory irritation.

Symptoms/Injuries After Inhalation: Irritating to the respiratory system and mucous membranes. May cause cancer by inhalation. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

Chronic Symptoms: May cause cancer.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Alcohol foam, dry chemical, carbon dioxide, water spray, fog. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use water jet. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but will burn at high temperatures. Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides.

Explosion Hazard: May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive, but if dust is generated, dust clouds suspended in air can be explosive.

11:15:2019 EN :English US; 3:14

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity: This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

5.3. Advice for Firefighters

Firefighting Instructions: Not flammable. Exercise caution when fighting any chemical fire.

Protection During Firefighting: Firefighters must use full bunker gear including NIOSH-approved positive-pressure self-contained breathing apparatus to protect against potential hazardous combustion and decomposition products.

Other information: Do not allow run-off from firefighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet. Avoid all eyes and skin contact and do not breathe vapor and mist. Do not allow product to spread into the environment.

6.1.1. For Non-emergency Personnel

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection. Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: If possible, stop flow of product. Contain and collect as any solid. Evacuate unnecessary personnel. Ventilate area.

6.2. Environmental Precautions

Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods for Cleaning Up: Recover the product by vacuuming, shoveling or sweeping. Avoid generation of dust during clean-up of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated. Clear up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: This material becomes slippery when wet.

Precautions for Safe Handling: Handle in accordance with good industrial hygiene and safety procedures. Wear recommended personal protective equipment. Avoid creating or spreading dust. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Hygiene Measures: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store tightly closed in a dry, cool and well -ventilated place. Protect from moisture. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Prohibitions on mixed storage: Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special Rules on Packaging: Corrosive to copper and its alloys.

7.3. Specific End Use(s)

Fertilizer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Iron oxide (Fe2O3) (1309-37-1)		
USA ACGIH ACGI	H TWA (mg/m³)	5 mg/m³	

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m ³
USA IDLH	US IDLH (mg/m³)	2500 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m ³
Magnesium o	oxide (MgO) (1309-48-4)	
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
USA IDLH	US IDLH (mg/m³)	750 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³
Limestone (13	317-65-3)	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m ³
Manganese (7439-96-5)	
USA ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1 mg/m³
USA NIOSH	NIOSH REL (STEL) (mg/m³)	3 mg/m³
USA IDLH	US IDLH (mg/m³)	500 mg/m ³
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	5 mg/m³

8.2. Exposure Controls

Appropriate Engineering Controls

: Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Safety glasses. Protective clothing. Insufficient ventilation: wear respiratory

protection.



Materials for Protective Clothing

: Chemically resistant materials and fabrics.

Hand Protection

Other Information

Solubility

: protective gloves.

Eye Protection
Skin and Body Protection

: Chemical goggles or safety glasses.: Wear suitable protective clothing.

Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, NIOSH approved

respiratory protection should be worn. When using, do not eat, drink or smoke

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Solid

Appearance: Granules, Multi-coloredOdor: Ammonia, slight sulfurous.

Odor Threshold: No data availablepH: No data available

pH solution : 10 %

Relative Evaporation Rate (butylacetate=1) : No data available **Melting Point** : 133 °C (271.4°F) Urea Freezing Point : No data available **Boiling Point** : No data available Flash Point : No data available **Auto-ignition Temperature** : No data available **Decomposition Temperature** No data available Flammability (solid, gas) : No data available Vapor Pressure No data available Relative Vapor Density at 20 °C : No data available Relative Density : No data available Density : 45 (45 - 65) lb/ft3

11 15,2019 FN (Engistrius) 5-14

: Water: Disperses

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Partition coefficient: n-octanol/water: No data availableViscosity: No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity: This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).
- 10.2 Chemical Stability: Stable at standard temperature and pressure.
- 10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4 Conditions to Avoid:** Protect from moisture. Keep away from heat. Direct sunlight. Extremely high or low temperatures. Sparks, heat, open flame and other sources of ignition.
- 10.5 Incompatible Materials: Strong oxidizers. Strong bases.
- **10.6 Hazardous Decomposition Products:** Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Carbon oxides (CO, CO2). Formaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Harmful if swallowed.

LESCO Dimension (0.07%, 0.10%, 0.15%- 0.21%) P	lus Fertilizer
LD50 Dermal Rat	mg/kg
Sulfuric acid, dipotassium salt (7778-80-5)	
LD50 Oral Rat	6600 mg/kg
Diammonium phosphate (7783-28-0)	
LD50 Oral Rat	6500 mg/kg
LD50 Dermal Rabbit	> 7950 mg/kg
Potassium chloride (7447-40-7)	
LD50 Oral Rat	2600 mg/kg
Monoammonium phosphate (7722-76-1)	
LD50 Oral Rat	5750 mg/kg
LD50 Dermal Rabbit	> 7940 mg/kg
Ammonium sulfate (7783-20-2)	
LD50 Oral Rat	2000 mg/kg
Sulfur (7704-34-9)	
LD50 Oral Rat	> 3000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat (mg/l)	> 9.23 mg/l/4h
Iron oxide (Fe2O3) (1309-37-1)	
LD50 Oral Rat	> 10000 mg/kg
Ferrous sulfate (7720-78-7)	
LD50 Oral Rat	237 mg/kg
Sodium chloride (7647-14-5)	
LD50 Oral Rat	3 g/kg
LC50 Inhalation Rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)
Potassium nitrate (7757-79-1) LD50 Oral Rat	2015
	3015 mg/kg
Bentonite (1302-78-9) LD50 Oral Rat	5000 (1
	> 5000 mg/kg
Manganese (7439-96-5)	
ATE (Oral)	9000.000 mg/kg body weight
Urea, polymer with formaldehyde (9011-05-6)	
LC50 Inhalation Rat (mg/l)	> 167 mg/m³ (Exposure time: 4 h)
(S,S)-Dimethyl 2-(difluoromethyl)-4-(2-methyl pro	pyl)-6-(trifluoromethyl)-3,5-pyridinedicarbothioate (97886-45-8)
LC50 Inhalation Rat (mg/l)	> 6 g/m³ (Exposure time: 4 h)

11.15/2019 5N (Eng sh US) 6/11

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6)	
ATE (Oral)	8471.000 mg/kg

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified **Carcinogenicity:** Not classified

Iron oxide (Fe2O3) (1309-37-1)		
IARC group	3	
Saccharated iron oxide (8047-67	4)	
IARC group	3	

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Harmful if swallowed.

Symptoms/Injuries After Inhalation: Irritating to the respiratory system and mucous membranes. May cause cancer by inhalation. May cause decurious as distinguished

inhalation. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Harmful if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

Chronic Symptoms: May cause cancer.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Harmful to aquatic life with long lasting effects.

Sulfuric acid, dipotassium salt (7778-80-	5)
LC50 Fish 1	653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC 50 Fish 2	3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Diammonium phosphate (7783-28-0)	
LCS0 Fish 1	26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC 50 Fish 2	24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Potassium chloride (7447-40-7)	
LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus (static))
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC 50 Fish 2	750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
2000 Suprimu E	os mg//(exposure time, 40 ii - Species, Dapinia magna (static))
Ammonium sulfate (7783-20-2)	03 mg/T(Exposure time: 40 m - Species, Daprima magna (Static))
,	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Ammonium sulfate (7783-20-2)	
Ammonium sulfate (7783-20-2) LC50 Fish 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Ammonium sulfate (7783-20-2) LC50 Fish 1 EC50 Daphnia 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Ammonium sulfate (7783-20-2) LC50 Fish 1 EC50 Daphnia 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-
Ammonium sulfate (7783-20-2) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-
Ammonium sulfate (7783-20-2) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Ammonium sulfate (7783-20-2) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 Sulfur (7704-34-9) LC50 Fish 1 LC 50 Fish 2 Ferrous sulfate (7720-78-7)	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
Ammonium sulfate (7783-20-2) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 Sulfur (7704-34-9) LC50 Fish 1 LC 50 Fish 2	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss (flow-through]) 866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
Ammonium sulfate (7783-20-2) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 Sulfur (7704-34-9) LC50 Fish 1 LC 50 Fish 2 Ferrous sulfate (7720-78-7)	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Ammonium sulfate (7783-20-2) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 Sulfur (7704-34-9) LC50 Fish 1 LC 50 Fish 2 Ferrous sulfate (7720-78-7) LC50 Fish 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss (flow-through]) 866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])

11.15/2019 EN (Engistrius) 7:13

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium chloride (7647-14-5)	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna (Static))
Bentonite (1302-78-9)	
LC50 Fish 1	19000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss (static))
Magnesium sulfate (7487-88-9)	
LC50 Fish 1	2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas (static))
EC50 Daphnia 1	266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 1	2700 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
Urea (57-13-6)	
LC50 Fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and Degradability

LESCO Dimension (0.07%, 0.10%, 0.125%, 0.15%, 0.21%) Plus Fertilizer	
Persistence and Degradability	May cause long-term adverse effects in the environment. This product is water soluble and eventually biodegrades into elemental nitrogen. Excess nitrogen and nitrates in a body of water will contribute to eutrophication with visible effects such as toxic algae bloom. Not established.

12.3. Bioaccumulative Potential

LESCO Dimension (0.07%, 0.10%, 0.1	25%, 0.15%, 0.21%) Plus Fertilizer	
Bioaccumulative Potential	Not established.	
Diammonium phosphate (7783-28-0		
BCF fish 1	(no bioaccumulation expected)	
Monoammonium phosphate (7722-7	6-1)	
BCF fish 1	(no bioaccumulation expected)	· · · · · · · · · · · · · · · · · · ·
Ammonium sulfate (7783-20-2)		
Log Pow	-5.1 (at 25 °C)	·
Sadium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	
Urea (57-13-6)		
BCF fish 1	< 10	
Log Pow	-1.59 (at 25 °C)	

- 12.4. Mobility in Soil No additional information available
- 12.5. Other Adverse Effects

Other Information

: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Treatment Methods: Pesticide: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain. Container: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration.

Additional Information: Dispose of waste material in accordance with all local, regional, national, and international regulations. Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT
 14.2 In Accordance with IMDG
 14.3 In Accordance with IATA
 Not regulated for transport
 Not regulated for transport

11.15 2019 FN .878 shuS: 8.14

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: REGULATORY INFORMATION **US Federal Regulations** LESCO Dimension (0.07%, 0.10%, 0.125%, 0.15%, 0.21%) Plus Fertilizer **EPA TSCA Regulatory Flag** This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label. SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Delayed (chronic) health hazard Sulfuric acid, dipotassium salt (7778-80-5) Listed on the United States TSCA (Toxic Substances Control Act) inventory Diammonium phosphate (7783-28-0) Listed on the United States TSCA (Toxic Substances Control Act) inventory Potassium chloride (7447-40-7) Listed on the United States TSCA (Toxic Substances Control Act) inventory Monoammonium phosphate (7722-76-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory Ammonium sulfate (7783-20-2) Listed on the United States TSCA (Toxic Substances Control Act) inventory Sulfur (7704-34-9) Listed on the United States TSCA (Toxic Substances Control Act) inventory Iron oxide (Fe2O3) (1309-37-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory Ferrous sulfate (7720-78-7) Listed on the United States TSCA (Toxic Substances Control Act) inventory Manganese oxide (Mn3O4) (1317-35-7) Listed on the United States TSCA (Toxic Substances Control Act) inventory Sodium chloride (7647-14-5) Listed on the United States TSCA (Toxic Substances Control Act) inventory Magnesium oxide (MgO) (1309-48-4) Listed on the United States TSCA (Toxic Substances Control Act) inventory Limestone (1317-65-3) Listed on the United States TSCA (Toxic Substances Control Act) inventory Potassium nitrate (7757-79-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory Bentonite (1302-78-9) Listed on the United States TSCA (Toxic Substances Control Act) inventory Manganese (7439-96-5) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings) SARA Section 313 - Emission Reporting 1.0 % Urea, polymer with formaldehyde (9011-05-6) Listed on the United States TSCA (Toxic Substances Control Act) inventory Magnesium sulfate (7487-88-9) Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory

11 15-2019 EN (English US) 9:14

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potassium chloride (7447-40-7)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Monoammonium phosphate (7722-76-1)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Ammonium sulfate (7783-20-2)

- U.S. California SCAQMD Toxic Air Contaminants With Proposed Risk Values
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- RTK U.S. Massachusetts Right To Know List
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Sulfur (7704-34-9)

- RTK U.S. Massachusetts Right To Know List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Mexico Air Quality Ambient Air Quality Standards
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Iron oxide (Fe2O3) (1309-37-1)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

Ferrous sulfate (7720-78-7)

- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity

11.15/2019 EN (Engistrius) 10/14

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Polluting Materials List
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Manganese oxide (Mn3O4) (1317-35-7)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. North Carolina Control of Toxic Air Pollutants
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Sodium chloride (7647-14-5)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Magnesium oxide (MgO) (1309-48-4)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Limestone (1317-65-3)

- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs

11-15/2019 EN (English US) (1-14

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Potassium nitrate (7757-79-1)

- RTK U.S. Massachusetts Right To Know List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Bentonite (1302-78-9)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Manganese (7439-96-5)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Primary Drinking Water Regulations Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Georgia Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits Ceilings
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxíc Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine- Air Pollutants Hazardous Air Pollutants
- U.S. Massachusetts Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Missouri Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Nevada Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- $\label{eq:U.S.-New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual} \\$
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous SubstanceList
- U.S. New Jersey Secondary Drinking Water Standards Recommended Upper Limits (RULs)

U.S. - New Jersey - Special Health Hazards Substances List

11.15/2019 EN (F0g/sh US) 12.14

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Occupational Exposure Limits Ceilings
- U.S. North Carolina Control of Toxic Air Pollutants
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits Ceilings
- U.S. Pennsylvania Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. South Carolina Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Drinking Water Standards Secondary Constituent Levels (SCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Vermont Permissible Exposure Limits Ceilings
- U.S. Vermont Permissible Exposure Limits STELs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Washington Permissible Exposure Limits Ceilings
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

Urea, polymer with formaldehyde (9011-05-6)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Magnesium sulfate (7487-88-9)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Urea (57-13-6)

- U.S. Minnesota Hazardous Substance List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 11/15/2019

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

GHS Full Text Phrases

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2	
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
Comb. Dust	Combustible Dust	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	

13:15:2019 FN (English US) 13:14

Safety Data Sheet

according to Federal Register/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ox. Sol. 2	Oxidizing solids Category 2
Ox. Sol. Not classified	Oxidizing solids Not classified
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	May form combustible dust concentrations in air
H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

NFPA Health Hazard

: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is

given.

NFPA Fire Hazard NFPA Reactivity

: 1 - Must be preheated before ignition can occur.

: 0 - Normally stable, even underfire exposure conditions, and are not reactive with water.

0

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 1 Slight Hazard
Physical : 0 Minimal Hazard

IMPORTANT: LESCO urges each customer or recipient of this Safety Data Sheet (SDS) to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and is based on our current knowledge. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. It is the buyer's/user's responsibility to ensure that his or her activities comply with all federal, state, provincial and local laws. The information presented here pertains only to the product as shipped. It is the buyer's/user's duty to determine the conditions necessary for safe use of this product.

The SDS serves different purposes than, and DOES NOT REPLACE OR MODIFY, THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling.

It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

SDS US (GHS HazCom) - US Only 10 pt 2